



SECTION AA

LEGEND

NOTE - This drawing is provided for recommendations only, for the old and service of our customers, and is not to be construed as Professional Engineering Design.

Designed By _____
 Drawn By _____
 Date _____
 Scale _____

PROJECT
 1500 GALLON
 PRE-CAST CONCRETE
 SEPTIC TANK WITH CAST
 IN PLACE BAFFLES



Grand Junction Pipe & Supply Co.
 A Division of Grand Junction Concrete Pipe
 2311 River Road
 Grand Junction, Colorado 81505
 Telephone (970)245-9301 Fax (970)243-6703

NOTES:
 BASE AND WALLS POURED MONOLITHIC WITH A SEPARATE LID.
 TANK USES A STANDARD 21" DIA. RISER SECTION IF NEEDED AND UTILIZES THE TANK LIDS.
 ALL INLETS AND OUTLETS HAVE POLYLOCK SEALS CAST IN PLACE FOR A WATER TIGHT CONNECTION TO 4" SDR-35 OR SCHEDULE 40 PVC PIPE. CHECK LOCAL CODES
 INLET AND OUTLET REQUIRE AN ELBOW OR SANITARY TEE INSTALLED ON THE INSIDE OF TANK. CHECK LOCAL CODES.